

Nanomaterials induced Endothelial Leakiness

David Tai Leong

4 Engineering Drive 4, E5-02-18
Department of Chemical and Biomolecular Engineering,
National University of Singapore,
Singapore
cheltwd@nus.edu.sg

Many nanomedicine and nano drug carrier systems depend on the tumor derived enhanced permeability and retention effect (EPR). However, the EPR effect and leaky vessels network within and along the periphery of the tumor is un-engineerable as it is entirely due to the tumor's own metabolic demands and induction. This talk will share our discovery that nanoparticles themselves are capable of inducing endothelial leakiness and coined this phenomenon as "nanomaterials induced endothelial leakiness" (NanoEL)¹. The gaps that are formed between endothelial cells are so large that whole cancer cells are able to migrate across them^{1,2}. In Type I NanoEL³, we showed that certain types of nanoparticles find their way between the endothelial cells and bind to an important *adherens junction* protein (VE-cadherin) and disrupt the *adherens junction*. This disruption then triggers an intracellular pathway that pulls adjacent endothelial cells to form those NanoEL gaps. NanoEL happens even without any cancer cells. Size⁴, charge⁵ and materials' effective density⁶ determine NanoEL. While NanoEL poses a certain level of nanosafety risk⁷, engineered NanoEL^{8,9} might inspire new strategies of accessing diseases sites³.

References

1. Setyawati, MI *et al. Nature Comms.* **2013**, *4*, 1673.
2. Peng, F *et al. Nature Nanotech.* **2019**, *14*, 279.
3. Tee, JK *et al. Chem. Soc. Rev.* **2019**, *48*, 5381.
4. Setyawati, MI *et al. ACS Nano* **2017**, *11*, 5020.
5. Wang, J *et al. Chem. Mat.* **2018**, *30*, 3759.
6. Tay, CY *et al. ACS Nano* **2017**, *11*, 2764.
7. Setyawati, MI *et al. Chem. Soc. Rev.* **2015**, *44*, 8174.
8. Tee, JK *et al. Nanotoxicology* **2019**, *13*, 682.
9. Setyawati, MI *et al. ACS Nano* **2016**, *10*, 1170.